## Loughborough University The Centre for Biological Engineering Doc Ref: FS008.1 : HTA-PR-FORM/007 Acquisition and Receipt of Biological Materials Issue Date:

ARF No: CBE/ARF/000 5%

PART A: To be completed by the	Receiver (a separate	e form must be o	completed for	each sample	type)				
A1. Details of Sample/Specimen									
Type/ID: (eg primary cell, cell line, tissur fluid, excreta, biological agent)	Human Cord	Human Cord Blood (Ficolled) CD34+ isolation				⊠Human □Animal			
Format / Quantity: (eg vials, slides, e	4x50mL tube	4x50mL tube containing ~21mL ficol unit. 4 donors total							
Tissue site/Organ source:	Cord Blood	Cord Blood							
Batch N°:									
Is the sample/specimen considered If No, go to section A2.		⊠Yes □No							
Is the material obtained from an HTA licenced Tissue Bank with REC approval for generic research use?									
Is the material obtained for storage and use under a project specific NHS REC approval?									
Is the material licensable under the HTA? Indicate source below:									
☑HTA licensed organisation ☑Commercial Supplier ☐ Imported (from outside England, Wales or N.Ireland)									
identifier) & the corresponding		P: 12199231, G221222199198, G221222195118, 12198899		Assigned Unique ID (Procuro): S00239823, 824, 825, 826, S00242762, 763, 764					
If Yes, provide Project Ref N°:	BRA060 & B	RA010	¥	8		7 x			
If Yes, provide the name of the PI	nas	as							
A2. Details of Receipt									
Date/Time of receipt	Date	09/02/2022		Time:	16:15				
ID of Receiver	Name:	Jon Harriman		Dept:	СВЕ				
ID of Supplier/Provider	Name:	Anthony Nolan		Country:	UK				
PART B: To be completed by the Receiver									
B1. Inspection and Quarantine									
Has a biological risk assessment for the use of this material been approved?		⊠Yes □No	Ref Number: BRA060 & BRA010						
Physical integrity of the material(s) acceptable?		⊠Yes □No	If No, describe action taken						
Quantity received correct?		⊠Yes □No	If No, describe action taken						
Labelling correct and legible?	⊠Yes □No	If No, descri	If No, describe action taken						
Is the relevant documentation attached to this form?	C of A or equivalen quality	t evidence of	⊠Yes □No □N/A						
		ents to enable transfer of Yes \( \subseteq N \cap \( \subseteq N \rangle A \)							
If No, add reference or details to ensure traceability	Details/evidence/a								

	consent		v 8 "			
	Other (describe		□Yes □No □N/A			
	Building/Room		Stored in HTA box in cold room overnight. After processing (H21) 10/02/22 will be frozen via passive cooling in H34 -80C ULT freezer and transferred to LN2 cryo-bank after 24h (11/02/22)			
Temporary storage - Quarantine location (as applicable)	Storage Unit ID		4Fri-HTA & Cryo-HTA			
	Within storage	unit location ID	Bank 7 Rack 5 Box D 12-18			
	Date/Time of q	uarantine	11/02/2022 12:00			
Submitted by:	Signature:	re: Date:				
PART C: To be completed by the	e departmental Q	uality Manager				
C1. Quality Assurance Checks						
Has the sample/specimen been	□Yes □No □N/A					
Has the donor been screened fo	□Yes □No □N/A					
Has the sample/specimen been	□Yes □No □N/A					
Is there evidence that the suppli or other recognised certification	□Yes □No □N/A					
For HTA licensable material, is the and use of the material under the	□Yes □No □N/A					
Is there sufficient evidence to su	sing exemption?	□Yes □No □N/A				
C2. Approval for release from q	uarantine					
Can the material be released fro released for processing?	m quarantine and	transferred to desig	gnated storage area or	☑Yes □No		
If No, provide recommendations for deposition of the material and the results of any action relating to non-conforming material.		☐Accept as is, bu	t with extra controls			
		Rework or repr	ocess to meet the nents	,		
		☐Test to meet sp	pecified requirements			
		☐Return to supp	lier/provider			
		□Disposal				
If Yes, provide details of storage lo		Building/Room				
	location (as	Storage Unit ID				
		Within storage unit location ID		7,5, p12-18.		
		Database Reference		. 1 1		
	·	Date/Time of tran	nsfer	11/2/22.		
Approved by:		Signature:	cu	Date: 2(12/12.		
		0.00		l '		